==========
Sequence Listing was accepted.
If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).
Reviewer: Keisha Douglas
Timestamp: [year=2008; month=8; day=6; hr=16; min=59; sec=39; ms=629;]
==========

Validated By CRFValidator v 1.0.3

Application No: 10590896 Version No: 2.0

Input Set:

Output Set:

Started: 2008-07-01 10:51:45.387
Finished: 2008-07-01 10:51:45.797
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 410 ms
Total Warnings: 4
Total Errors: 0
No. of SeqIDs Defined: 7
Actual SeqID Count: 7

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (3)
W	213	Artificial or Unknown found in <213> in SEQ ID (4)
W	213	Artificial or Unknown found in <213> in SEQ ID (5)
W	213	Artificial or Unknown found in <213> in SEQ ID (6)

SEQUENCE LISTING

<110> JURIDICAL FOUNDATION THE CHEMO-SERO-THERAPEUTIC RESEARCH INSTITUTE

<120> A method for the production of Erysipelothrix rhusiopathiae surface protective antigen in Escherichia coli

<130> 664968

<140> 10590896
<141> 2008-07-01

<150> JP 2004-53882
<151> 2004-02-27

<160> 7

<170> PatentIn version 3.1

<210> 1
<211> 1881
<212> DNA
<213> Erysipelothrix rhusiopathiae

<400> 1
atgaaaaaga aaaaacacct atttccgaaa gtaagtctta tgtcgtgctt acttttaaca 60
gcaatgccac tacaaacagc ttttgctgat tcgacagata tttctgtgat tccactaatc 120
ggtgaacaag ttggattgct cccagtttta cctgggacag gggtacatgc tcaggaatac 180
aacaaaatga ctgatgctta tattgaaaaa ttggtatctc taattaatca aaaagtgaag 240
ccgtttctta taaatgagcc aaaggggtac caaagtttcg aagcagtgaa tgaagagatt 300
aactcgattg taagtgaact taaaaatgaa ggaatgagtc ttcaaaacat tcaccatatg 360
tttaaacaaa gcatccaaaa cctagcaact agaatcggct acagaagttt tatgcaggat 420
gctatgtatc ttgaaaattt tgaaagatta acgattcctg aacttgatga agcatacgtt 480
gatttactcg tgaattacga ggtgaaacac cgtattttag taaaatatga aggtaaagtt 540
aaaggtagag ctcccttaga agcatttata gttcctctaa gagatagaat tcgtagtatg 600
aatgaaattg ctgcagaagt aaattattta cctgaagcgc atgaggattt cttagtttca 660
gattcaagcg agtataatga caaactaaat aatatcaact ttgctttggg tctaggggtc 720
agcgagttta ttgactataa ccggctcgaa aatatgatgg aaaaagaact tcatccactg 780
tatcttgaac tttatgctat gcggagaaat cgccaaattc aagttgtaag agatgtatat 840
ccaaacttgg aacgtgcgaa cgcggttgtt gaatccttaa agacaattaa agatataaaa 900
caaagaggga agaaactaca ggaacttctt gaaatttata tccaaagaag tggagatgtt 960
cgaaaaccag atgtactcca acgatttatt ggaaaatatc aatcagtagt tgatgaagaa 1020
aaaaataaac ttcaagatta tttagaatca gatatttttg attcatatag tgtggatggc 1080
gagaaaataa gaaataaaga aattacactc atcaatagag atgcatactt atctatgatt 1140
tacagagctc aatcgatttc ggaaattaag acgattcgtg cagatttaga atcacttgtc 1200
aaatcattcc aaaatgaaga aagtgactct aaagtagagc ctgaaagtcc cgttaaagta 1260
gaaaaaccag ttgatgaaga aaaacctaaa gatcaaaaga agctagttga tcaatcaaaa 1320
cccgaatcga attcaaaaga agggtggatt aagaaagata ataagtggtt ctatattgag 1380
aaatcaggtg gaatggcaac aggttggaag aaggtagcag acaaatggta ctacctcgat 1440
aatacgggtg ctatagttac gggttggaag aaggtagcaa acaaatggta ctatcttgaa 1500
aaatcaggtg cgatggcaac aggatggaag aaagtatcaa acaagtggta ctaccttgaa 1560
aactcaggtg caatggcaac aggatggaag aaagtatcaa acaagtggta ctaccttgaa 1620
aattcaggcg caatggctac aggatggaaa aaggtagcaa acaaatggta ctaccttgaa 1680
aactcaggtg cgatggcaac aggatggaag aaagtatcga acaagtggta ctaccttgaa 1740
aactcaggcg caatggctac aggatggaaa aaggtagcaa acaaatggta ctaccttgat 1800
aaatcaggaa tgatggttac aggttcaaaa tctattgatg gtaaaaagta tgcatttaag 1860
aacgatggaa gtttaaaata g 1881

<210> 2
<211> 626
<212> PRT
<213> Erysipelothrix rhusiopathiae

<400> 2
Met Lys Lys Lys Lys His Leu Phe Pro Lys Val Ser Leu Met Ser Cys
1   5   10   15
Leu Leu Leu Thr Ala Met Pro Leu Gln Thr Ala Phe Ala Asp Ser Thr
            20   25   30
Asp Ile Ser Val Ile Pro Leu Ile Gly Glu Gln Val Gly Leu Leu Pro
        35   40   45
Val Leu Pro Gly Thr Gly Val His Ala Gln Glu Tyr Asn Lys Met Thr
    50   55   60
Asp Ala Tyr Ile Glu Lys Leu Val Ser Leu Ile Asn Gln Lys Val Lys
65   70   75   80
Pro Phe Leu Ile Asn Glu Pro Lys Gly Tyr Gln Ser Phe Glu Ala Val
                85   90   95
Asn Glu Glu Ile Asn Ser Ile Val Ser Glu Leu Lys Asn Glu Gly Met
            100   105   110
Ser Leu Gln Asn Ile His His Met Phe Lys Gln Ser Ile Gln Asn Leu
        115   120   125
Ala Thr Arg Ile Gly Tyr Arg Ser Phe Met Gln Asp Ala Met Tyr Leu
    130   135   140
Glu Asn Phe Glu Arg Leu Thr Ile Pro Glu Leu Asp Glu Ala Tyr Val
145   150   155   160
Asp Leu Leu Val Asn Tyr Glu Val Lys His Arg Ile Leu Val Lys Tyr
                165   170   175
Glu Gly Lys Val Lys Gly Arg Ala Pro Leu Glu Ala Phe Ile Val Pro
            180   185   190
Leu Arg Asp Arg Ile Arg Ser Met Asn Glu Ile Ala Ala Glu Val Asn
        195   200   205
Tyr Leu Pro Glu Ala His Glu Asp Phe Leu Val Ser Asp Ser Ser Glu
    210   215   220
Tyr Asn Asp Lys Leu Asn Asn Ile Asn Phe Ala Leu Gly Leu Gly Val
225   230   235   240
Ser Glu Phe Ile Asp Tyr Asn Arg Leu Glu Asn Met Met Glu Lys Glu
                245   250   255
Leu His Pro Leu Tyr Leu Glu Leu Tyr Ala Met Arg Arg Asn Arg Gln
            260   265   270
Ile Gln Val Val Arg Asp Val Tyr Pro Asn Leu Glu Arg Ala Asn Ala
        275   280   285
Val Val Glu Ser Leu Lys Thr Ile Lys Asp Ile Lys Gln Arg Gly Lys
    290   295   300
Lys Leu Gln Glu Leu Leu Glu Ile Tyr Ile Gln Arg Ser Gly Asp Val
305   310   315   320
Arg Lys Pro Asp Val Leu Gln Arg Phe Ile Gly Lys Tyr Gln Ser Val
                325   330   335
Val Asp Glu Glu Lys Asn Lys Leu Gln Asp Tyr Leu Glu Ser Asp Ile
            340   345   350
Phe Asp Ser Tyr Ser Val Asp Gly Glu Lys Ile Arg Asn Lys Glu Ile
        355   360   365
Thr Leu Ile Asn Arg Asp Ala Tyr Leu Ser Met Ile Tyr Arg Ala Gln
    370   375   380
Ser Ile Ser Glu Ile Lys Thr Ile Arg Ala Asp Leu Glu Ser Leu Val

385 390 395 400
Lys Ser Phe Gln Asn Glu Glu Ser Asp Ser Lys Val Glu Pro Glu Ser
405 410 415
Pro Val Lys Val Glu Lys Pro Val Asp Glu Glu Lys Pro Lys Asp Gln
420 425 430
Lys Lys Leu Val Asp Gln Ser Lys Pro Glu Ser Asn Ser Lys Glu Gly
435 440 445
Trp Ile Lys Lys Asp Asn Lys Trp Phe Tyr Ile Glu Lys Ser Gly Gly
450 455 460
Met Ala Thr Gly Trp Lys Lys Val Ala Asp Lys Trp Tyr Tyr Leu Asp
465 470 475 480
Asn Thr Gly Ala Ile Val Thr Gly Trp Lys Lys Val Ala Asn Lys Trp
485 490 495
Tyr Tyr Leu Glu Lys Ser Gly Ala Met Ala Thr Gly Trp Lys Lys Val
500 505 510
Ser Asn Lys Trp Tyr Tyr Leu Glu Asn Ser Gly Ala Met Ala Thr Gly
515 520 525
Trp Lys Lys Val Ser Asn Lys Trp Tyr Tyr Leu Glu Asn Ser Gly Ala
530 535 540
Met Ala Thr Gly Trp Lys Lys Val Ala Asn Lys Trp Tyr Tyr Leu Glu
545 550 555 560
Asn Ser Gly Ala Met Ala Thr Gly Trp Lys Lys Val Ser Asn Lys Trp
565 570 575
Tyr Tyr Leu Glu Asn Ser Gly Ala Met Ala Thr Gly Trp Lys Lys Val
580 585 590
Ala Asn Lys Trp Tyr Tyr Leu Asp Lys Ser Gly Met Met Val Thr Gly
595 600 605
Ser Lys Ser Ile Asp Gly Lys Lys Tyr Ala Phe Lys Asn Asp Gly Ser
610 615 620
Leu Lys
625

<210> 3
<211> 37
<212> DNA
<213> Artificial

<220>
<223> Sense primer designed for preparation of SpaA and fSpaA protein by PCR amplification

<400> 3
catgccatgg ctttcgctga ttcgacagat atttctg 37

<210> 4
<211> 33
<212> DNA
<213> Artificial

<220>
<223> Antisense primer designed for preparation of fSpaA protein by PCR amplification

<400> 4
cgcggatcct tatactttaa cgggactttc agg 33

<210> 5
<211> 38
<212> DNA
<213> Artificial

<220>
<223> Antisense primer designed for preparation of SpaA protein by PCR amplification

<400> 5
cgcggatccg tctattttaa acttccatcg ttcttaaa 38

<210> 6
<211> 24
<212> DNA
<213> Artificial

<220>
<223> Oligonucleotide designed for preparation of pointmutated SpaA protein by site directed mutagenesis

<400> 6
ctgaagcgca ggaggatttc ttag 24

<210> 7
<211> 1748
<212> DNA
<213> Erysipelothrix rhusiopathiae

<400> 7
tgattccact aatcggtgaa caagttggat tgctcccagt tttacctggg acagggatac 60
atgctcagga atacaacaaa atgactgatg cttatattga aaatttggta tctctaatta 120
atcaaaaagt gaagccgttt cttataaatg aaccaaaggg gtaccaaagt ttcgaagcag 180
tgaatgaaga gattaactcg attgtaagtg aacttaaaca tgaaggaatg agtcttcaaa 240
acattcacca tatgtttaaa caaagcatcc aaaacctagc aactagaatc ggctacagaa 300
gttttatgca ggatgctatg tatcttgaaa attttgaaag attaacgatt cctgaacttg 360
atgaagcata cgttgattta ctcgtgaatt acgaggtgaa acaccgtatt ttagtaaaat 420
atgaagataa agttaaaggt agagctccat tagaagcatt tatagttcct ctaagaaata 480
gaattcgtag tatgaatgaa attgctgcag aagtaaatta tttacctgaa gcgcatgagg 540
atttcttagt ttcagattca agcgagtata atgacaaact aaataatatc aactttgctt 600
tgggtctagg ggtcagcgag tttattgact ataaccggct cgaaaatatg atggaaaaag 660
aaattcatcc attgtatctt gaactttatg ctatgcggag aaatcgccaa attcaagttg 720
taagagatgt atatccaaac ttggaacgtg cgaacgcggt tgttgaatcc ttaaagacaa 780
ttaaagatat aaaacaaaga gagaagaaac tacaggaact tcttgaaatt tatatccaaa 840
gaagtggaga tgttcgaaaa ccagatgtac tccaacgatt tattggaaaa tatcaatcag 900
tagttgatga agaaaaaaat aaacttcaag attatttaga atcagatatt tttgattcat 960
atagtgtgga tggcgagaaa ataagaaata aagaaattac actcatcaat agagatgcat 1020
acttatctat gatttacaga gctcaatcga tttcggaaat taagacgatt cgtgcagatt 1080
tagaatcact tgtcaaatca ttccaaaatg aagaaagtga ttctaaagta gagcctgaaa 1140
gtcccgttaa agtagaaaaa ccagttgata aagaaaaacc taaagatcaa aagaagccag 1200
ttgatcaatc aaaacccgaa tcgaattcaa aagaagggtg gattaagaaa gataataagt 1260
ggttctatat tgagaaatca ggtggaatgg caacaggatg gaagaaggta ggagacaaat 1320
ggtactacct cgataatacg ggtgctatgg ttacgggttg gaagaaggta gcaaacaaat 1380
ggtactacct tgaaaactca ggtgcgatgg caacaggatg gaagaaagta tcaaacaagt 1440
ggtactacct tgaaaactca ggtgcgatgg caacaggatg gaagagagta tcaaacaagt 1500
ggtactacct tgaaaattca ggcgcaatgg ctacaggatg gaaaaaggta gcaaacaaat 1560

```
ggtactacct tgaaaactca ggtgcgatgg caacaggatg gaagaaagta tcgaacaagt   1620
ggtactacct tgaaaactca ggcgcaatgg caacgggttg gaagaaaata gcaaataaat   1680
ggtactacct tgataaatca ggaatgatgg ttacaggttc aaaatctatt gatggtaaaa   1740
agtatgca                                                           1748
```